



XX
 PATENTS PENDING
**NOT FOR
 CONSTRUCTION**

PRELIMINARY

SCIMEDICO, LLC
 WEST ORANGE, NJ

FIELD BSL2 HAZMAT CONVERSION
 NEW YORK, NY

NOTE: TO PREVENT CONDENSATION, ALLOW 2" MIN. CLEARANCE AROUND THE EXTERIOR OF INDOOR WALK-INS. MAINTAIN RELATIVE HUMIDITY BELOW 55% AND TEMPERATURE BELOW 75°F. OR FORCED VENTILATION MAY BE REQUIRED IN ADDITION TO CLEARANCE.
NOTE: FLOORS OF INSTALLATION SITES SHALL BE TRUE AND LEVEL WITHIN 3/16" PER 10' OR ADDITIONAL COSTS MAY BE INCURRED.
NOTE: MANUFACTURER IS NOT RESPONSIBLE FOR ELECTRICAL, PLUMBING, PERMITS OR CONCRETE WORK UNLESS LISTED ON THE QUOTE.



SCIMEDICO
 YOUR RESULTS TEAM

REV#	DATE	BY
1		
2		
3		

DO NOT SCALE DRAWING

SCALE:	XX
DATE DRAWN:	2020.03.29
DATE PRINTED:	2020.03.29
DRAWN BY:	SF
CHECKED BY:	MB
DRAWING #:	123456789
BOX:	1 OF 1
SHEET:	1 OF 1